


AGILENT TECHNOLOGIES, INC.  
Legal Department, DL429  
Intellectual Property Administration  
P. O. Box 7599  
Loveland, Colorado 80537-0599

PATENT APPLICATION

ATTORNEY DOCKET NO. 10002431-4



IN THE  
UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Gary B. Gordon

Serial No.: 10/010,020

Examiner: Betty J. FORMAN

Filing Date: 12/05/2001

Group Art Unit: 1634

Title: Solid-Phase Chemical Analysis Using Array Hybridization Facilitated By Agitation During Centrifuging

COMMISSIONER FOR PATENT

PO Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CONTINUED EXAMINATION (RCE) 37 CFR 1.114

Subsection (b) of 35 U.S.C. 132, effective on May 29, 2000, provides for continued examination of an utility or plant application filed on or after June 8, 1995.  
See The American Inventors Protection Act of 1999 (AIPA).

Sir:

This is a Request for Continued Examination (RCE) under CFR 1.114 of the above-identified applicaiton.

**NOTE:** 37 CFR 1.114 is effective on May 20, 2000. If the above- application was filed prior to May 29, 2000, applicant may wish to consider filing a continued prosecution application (CPA) under CFR 1.53(d) (PTO/SB/29) instead of a RCE to be eligible for the patent term adjustment provisions of the AIPA. See Changes to Application Examination and Provisional Application Practice, Interim Rule, 65 Fed. Reg. 14865 (Mar. 20, 2000), 1233 off. Gaz. Pat. Office 47 (Apr. 11, 2000), which established RCE practice.

Submission under 37 CFR 1.114

( ) Previously submitted:

( ) Consider the amendment(s)/reply under 37 CFR 1.116 previously filed on \_\_\_\_\_.  
(Any unentered amendment(s) referred to above will be entered).

( ) Consider the arguments in the Appeal Brief or Reply Brief previously filed on \_\_\_\_\_.

( ) Other \_\_\_\_\_.

(X) Enclosed:

(X) Amendment/Reply

( ) Affidavit(s)/Declarations(s)

( ) Information Disclosure Statement (IDS)

( ) Other \_\_\_\_\_.

Miscellaneous

( ) Suspension of action is requested under 37 CFR 1.103(c) for a period of \_\_\_\_\_ months.  
The fee for this Suspension is (37 CFR 1.17(i)) \$130.00

( ) Other \_\_\_\_\_.

06/03/2004 MAHME1 00000110 501078 10010020

01 FC:1801 770.00 DA

**CONTINUED EXAMINATION TRANSMITTAL  
(RCE) (37 CFR 1.114) (continued)**

ATTORNEY DOCKET NO. 10002431-4

☒ RCE filing fee \$770.00

☐ A Petition for Extension of Time

<input type="checkbox"/> one month	\$110.00
<input type="checkbox"/> two months	\$420.00
<input type="checkbox"/> three months	\$950.00
<input type="checkbox"/> four months	\$1480.00


Please charge to Deposit Account 50-1078 the sum of \$770. At any time during the pendency of this application, please charge any fees required or credit any overpayment to Deposit Account 50-1078 pursuant to 37 CFR 1.25.

☒ A duplicate copy of this transmittal letter is enclosed.

Respectfully submitted,

Gary B. Gordon

By



Clifton L. Anderson

Attorney/Agent for Applicant(s)  
Reg. No. 30,989

Date: May 26, 2004

Telephone No.: (408) 245-0820

☒ I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.

Date of Deposit: May 26, 2004 or

☐ I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office on the date shown below.

Date of Facsimile:

Typed Name:

Signature:





## In The United States Patent and Trademark Office

For: <b>Solid-Phase Chemical Analysis Using Array Hybridization Facilitated By Agitation During Centrifuging</b>			
Applicant: Gary B. Gordon		Attorney Docket No.: 10002431-4	
Serial No.: 10/010,020	Filed: December 5, 2001	Art Unit: 1634	Examiner: Betty J. Forman

Honorable Commissioner of Patents  
Washington, DC 20231

**Amendment B**

Sir:

This amendment accompanies a request for continuing application in response the Final Office Action dated March 31, 2004. Reconsideration is respectfully requested.

Please amend the specification as follows.

Page 1, line 22, change "coverable" to --capable--.

Page 4, line 8, change "coverillary" to --capillary--.

Page 4, line 13, change "coverillary" to --capillary--.

Page 14, line 11, change "coverturing" to --capturing--.

Replacement paragraphs are included herewith in revision format for the changes to pages 1, 4, and 14.

Please amend the claims as indicated below.